

**Attached Tables to the Cabinet Resolution No. (83) of 2024
On the Technical Regulations for the Control of the Quantity of Product in
Pre-packages**

Table (1)

Minimum Height Measurement for Numbers and Letters Used on the Label

Minimum Height of Used Numbers and Letters (mm)	Nominal Quantity (Q _n)		
	By Count	cm ²	g / ml / mm
6	Q _n > 1,000	Q _n > 100	Q _n > 1,000
4	100 ≥ Q _n > 400	100 ≥ Q _n > 49	1000 ≥ Q _n > 200
3	400 ≥ Q _n > 200	49 ≥ Q _n > 16	200 ≥ Q _n > 50
2	200 ≥ Q _n	16 ≥ Q _n	50 ≥ Q _n

Table (2)

Units of Measurement Used in Pre-packages

Quantity	Nominal Quantity (Q _n)	Symbol of Used Unit	
Volume for Liquids	Q _n < 1000 ml	مل	mL (ml)
	1000mL ≤ Q _n	ل	L (1)
Volume for Solids	Q _n ≤ 1000 cm ³ (l dm ³)	3 سم	cm ³
		مل	ml (ml)
	l dm ³ < Q _n < 1000 dm ³	3دم	dm ³
	1000 dm ³ ≤ Q _n	ل	L(1)
		3م	m ³
Mass	Q _n < 1g	مغ	mg
	1g ≤ Q _n < 1000g	غ	g
	1000g ≤ Q _n	كغ	kg

Height	$Q_n < 1\text{mm}$	مكم	$\text{m}\mu$
		مم	mm
	$1\text{mm} \leq Q_n < 100\text{ cm}$	مم	mm
		سم	cm
	$100\text{ cm} \leq Q_n$	م	m
Area	$Q_n < 100\text{ cm}^2$ (l dm ²)	² مم	mm ²
		² سم	cm ²
	$1\text{ dm}^2 \leq Q_n < 100\text{ dm}^2$ (l m ²)	² د م	dm ²
	$1\text{ m}^2 \leq Q_n$	² م	m ²
Count	For all values	Whole numbers only	

Table (3) Permissible Error (T1)

Nominal Quantity of Product (Q _n) (grams or millilitres)	Permissible Deficiency (T)	
	Percentage of Nominal Quantity	Grams or Millilitres
0-50	9	-
50-100	-	4.5
100-200	4.5	-
200-300	-	9
300-500	3	-
500-1000	-	15
1000-10000	1.5	-
10000-15000	-	150
> 15000	1	-

Values are rounded as follows: For nominal quantities less than or equal to 1,000 ml or g, the values are rounded to the nearest 0.1 ml or g; or for nominal quantities greater than 1,000 ml or g, the values are rounded up to the next whole number.

Nominal Quantity of Product (Qn) by Length	Percentage of Nominal Quantity
≤ 5 meters	No deficiency allowed
≥ 5 meters	2
Nominal Quantity of Product (Qn) by Area	Percentage of Nominal Quantity
Full nominal quantity	3
Nominal Quantity of Product by Count	Percentage of Nominal Quantity
≤ 50 packages	No deficiency allowed
> 50 packages	1
The value of (T) is calculated by multiplying the nominal quantity (Qn) by 1%, then rounding the result up to the next whole number. The resulting value of (T) may be greater than 1% due to rounding, but this is acceptable because the products are whole items and cannot be divided.	

Table (4) Sampling Table

Inspection Batch Value	Sample Value	Number of Samples Allowed to Have Deficiency (T1)	Sample Correction Factor (SCF)
< 20	Entire batch	0	NA
40	32	1	0.22
60	35	1	0.30
80	47	2	0.25
100	49	2	0.28
200	64	3	0.27
300	67	3	0.29
400	81	4	0.26

500	81	4	0.27	
From 600 to 100,000	98	5	600-656	0.24
			657-1261	0.25
			1262-31098	0.26
			31095- 100000	0.27

Note (1): For further clarification on sampling plans for pre-packages, refer to Appendix (1) in the international standard (OIML R87).

Note (2): The Sample Correction Factor (SCF) shall be applied as specified in the international standard (OIML R87)